

- atricolor, *Thyreodon*, 429.
 atripectus, *Cryptanura*, 174.
 atriventris, *Athyreodon*, 429.
Atrometus, 419.
 ntropos, *Nematos*, 93.
 atroviolacea, *Acrocephala*, 370.
Cerocephala, 369, 370, 371, 376.
Aulophion, 423, 426, 458, 459.
bicarinatus, 458, 459.
cecarinatus, 459.
auroumaculatus, *Phrietus*, 178, 179.
Australophion, 425, 440.
inflatus, 440.
austriacus, *Pseudaphycus*, 313, 317.
Austrochanda, 116.
Awaous transandeanus, 191.
azuerensis, *Ateles*, 41.
azuerensis, *Ateles geoffroyi*, 9, 40.

badius, *Fornax*, 85.
balkanicus, *Listriolobus*, 233, 234.
Bairdiella, 124, 125.
 chrysura, 124, 125 (fig.).
bakeri, *Cerocephala*, 357.
 Theocolax, 357.
Balamus, 253.
Balovia, 105.
cistipennis, 105, 107.
Banchigastra, 423, 426, 460, 461.
nigra, 460.
barbutini, *Gobiesox*, 65.
baronii, *Ochetostoma*, 241, 247.
bartletti, *Ateles*, 20.
Barycephalus, 473.
 moesayri, 473.
 somnifer, 473.
Barytaocephalus, 473.
 moesayri, 473.
bursalis, *Ophryastes*, 533.
basimaculata, *Cryptanura*, 173.
basisepta, *Megaselia*, 406.
 Beetles, cerambycid, tribe *Disteniini*, 329.
 new species of *Enenemididae*, 79.
belzebul, *Sinmia*, 15.
helzeluth, *Ateles*, 3, 20.
 Ateles helzeluthi, 8, 11, 18, 20, 24–26.
beryllinus, *Gobiesox*, 49, 56.
 Rinocer, 56.
Betarus longidactylus, 278.
bethellii, ? *Peripatus* (*Epiripatus*)
 biocellat var., 209.
bevandatu, *Pintalia*, 96.
biocolor, *Cometes*, 332.
biocolor, *Metopion*, 403.
bieristatus, *Corythosaurus*, 203.
bifoveolatus, *Ophion*, 437.
bilineata, *Cryptanura*, 142, 149, 175.
bicarinatus, *Aulophion*, 458, 459.
bimaculata, *Pintalia*, 96.
bicolor, *Cometes*, 332.
bicolor, *Metopion*, 403.
bieristatus, *Corythosaurus*, 203.
bifoveolatus, *Ophion*, 437.
bilineata, *Cryptanura*, 142, 160, 162, 176.
biliocrenatus, *Listriolobus*, 234.
billowyi, *Epiripatus*, 205–207, 211.
 Peripatus, 211.
bipartita, *Cryptanura*, 173.
biruf, *Ceratospilus*, 466.

bisecta, *Megaselia*, 402.
bituberosus, *Ophryastes*, 533, 535.
blairmontensis, *Pintalia*, 96.
Blandowskella, 117.
Boathoneura, 426, 445, 451.
 arida, 451, 452.
Bohart, G. E., on phorid flies of Guam, 397.
boliviensis, *Cryptanura*, 144, 163, 174.
homabayensis, *Ochetostoma*, 241.
bombyciverus, *Ophion*, 444, 456, 457, 469.
Stauroptocnus, 474.
Bonellia, 247–249, 252, 255–259, 280.
 misakiensis, 255.
 miyajimai, 249.
 viridis, 250, 251 (fig.), 253, 254, 257.
Bonelliidae, 220, 249.
Bonelliopsis, 249, 252, 255, 256, 258, 259.
 alaskana, 252 (fig.).
boninis, *Pseudocoeus*, 322, 323.
Bothrioceraera, 311.
Brachytelestes frontatus, 37.
branchiorhynchus, *Anellassorhynchus*, 222.
brasiliensis, *Epiripatus*, 205–207, 209, 210.
 Hemiramphus, 185–187, 189 (fig.).
brasiliensis, *Ophiloscion*, 126–128, 129 (fig.), 130.
breviceps, *Mugil*, 392.
brevieristatus, *Corythosaurus*, 203.
brevipes, *Pseudocoeus*, 320.
brevirostris, ? *Gobiesox*, 61.
brissonii, *Cebus*, 20.
brontops, *Testudo*, 310.
brunnens, [Ateles belzeluthi], 25, 26.
brunnivenosa, *Pintalia*, 96.
bryanti, *Agonostomus*, 378, 384.
Brysettaeres, 63.
 piuniger, 63.
Bryssophilus, 63.
bucantis, *Chionocephalus*, 411.
buscki, *Neodiapodius*, 81.

Caccophryastes, 487, 488.
 lineatus, 488.
cælebs, *Cerocephala*, 360, 361.
 Cerocephala (Parasclatheras), 361.
Cajun cajun, 309.
Calandra oryzae, 361.
calcoelthiae, *Pseudocoeus*, 322.
Caldwell, John S., on Neotropical
 families of genus *Phrietus*, 177.
californicus, *Cryptomyia*, 273, 277.
californicus, *Eupagoderes*, 486 (fig.), 492, 491, 496.
 Mylobutus, 279.
californicus, *Callianassa*, 272, 278.
 Crangon (Alpheus), 278.
Callianassa californiensis, 272, 278.
Calleobruchus chinensis, 233.
 quadrimaculatus, 233.
cameroni, *Ophion*, 406.
Campoplegidae, 479.
Camptoureni, 414.
 curvinervis, 415.

- canadensis, Cerocephala, 374.
Eupelmella, 374.
Theocolax, 374.
- Canal Zone, onychophores of, 205.
- canaliculatus*, Mugil, 391.
- Canavalia ensiformis*, 109.
maritima, 109.
- capito*, Mugil, 391.
- capucina*, Simia, 2.
- capucinus*, Sapajus, 2.
- carneus*, Gobiesox, 56.
Sicyases, 56.
- Cassia*, 110.
bicapsularis, 110.
corymbosa, 110.
occidentalis, 109.
- casuarinus*, Corythosaurus, 203.
- caudatus*, *Potophion*, 442.
- candex*, Ochetostoma, 241.
- caudovittatus*, Synechopterus, 117, 118.
- Caularchus*, 70.
maeandricus, 71.
reticulatus, 70.
- Caulistius*, 63.
papillifer, 63.
- Caulophilus latinus*, 353.
- caupo*, Urechis, 216, 217, 219, 228, 264, 265, 266 (fig.), 267 (fig.), 270, 271, 273 (fig.), 280.
- cayennensis*, Cebus paniscus, 11.
- Cebus*, 2, 4.
brissonii, 20.
nigrivittatus, 2.
paniscus cayennensis, 11.
paniscus surinamensis, 11.
- Cecidomyiidae*, 357.
- Centropomidae*, 115, 117, 118.
- cephalotes*, Paniscus, 436.
- Cephalus*, 388.
- cephalus*, Gobiesox, 48, 54, 73-75.
Mugil, 388 (fig.).
- Cerambycidae*, 329.
- cerasinus*, Gobiesox, 72.
- Ceratocryptus*, 140.
- Ceratosphilus*, 466, 472.
biroi, 466.
- cerealella*, Sitolotoga, 353.
- Cerocephala*, 349, 350, 352, 355-357, 363, 364, 369, 374, 375.
 aquila, 361, 362.
 atroviolacea, 369-371, 376.
 bakeri, 357.
 caelebs, 360, 361.
(Parasciatheras) caelebs, 361.
 canadensis, 374.
 cornigera, 357-360.
 dinoderi, 360, 361.
(Parasciatheras) dinoderi, 360.
 ecoopogastri, 360.
 formiciformis, 356.
 pityophthori, 368.
 scolytivora, 366.
- Ceropeltinae*, 350, 351, 374.
- Cestraeus*, 379, 382, 383, 395.
plicatilis, 382.
- cetosus*, Mugil, 388.
- Chaenomugil*, 380, 382, 385, 395.
proboscidens, 385.
- Chaetoptelius*, 360.
- Chalcid-flies, new species of *Pseudaphycus*, 311.
related to Cerocephala, 349.
- chamek*, Ateles paniscus, 7, 11, 17-19, 28.
Simia, 17.
- championi*, Cryptanura, 175.
- Chanda*, 116.
lala, 116.
- Chelo*, 391.
chelo, Chelon, 390 (fig.).
Mugil, 387, 391.
- Chelon*, 377, 381, 382, 387, 391, 392, 393, 394, 395.
chelo, 390 (fig.).
crenilabis, 387, 391.
- chezanus*, Stauropoconus, 457.
- chilensis*, Echiurus, 263.
Ophion, 440.
Sicyases, 61.
Tomicodon, 61.
Urechis, 219, 264, 267, 270, 271.
- Chilophion*, 426, 454.
abnormis, 455.
- chinensis*, Callosobruchus, 353.
- Choetospila*, 350-352.
elegans, 352-354, 359.
frater, 354.
tabida, 354.
- Chonocephalus*, 409, 415.
buccalis, 411.
hirsutus, 404 (fig.), 408 (fig.), 409-411, 415.
subglaber, 398, 404 (fig.), 408 (fig.), 410, 415.
- Chonophorus transandeanus*, 191.
- chrysura*, Bairdiella, 124, 125 (fig.).
- chuva*, Ateles, 20.
- cinctipes*, Cryptanura, 140.
- cinerascens*, Tosastes, 539, 541, 545, 546 (fig.).
- cingulatus*, *Cremonocryptus*, 176.
Polyaeus, 140, 176.
- cistipennis*, Ballovia, 105, 107.
Fundella, 108, 109.
- Citrago*, 414.
- citrophilus*, Pseudococcus, 316.
- Cixidae*, 95.
- Clark, Austin H., and Zetek, James, on onychophores of Panama and Canal Zone, 205.
- Clatha*, 419, 479.
- clavis*, Crocodilus, 195, 197.
- Clevelandia*, 273.
ios, 273 (fig.), 277, 279.
- Clingfishes, American, revision of, 37.
- Clistorapha*, 423, 426, 450, 451, 473.
subfuliginosa, 451, 452.
- coarctatus*, Ophiopterus, 478.
Tosastes, 488, 533-540, 543.
- Coiloneura*, 462, 463.
melanostigma, 462.
- collaris*, Ophryastes, 522, 532, 533.
- coloradensis*, Ophion, 437.

combustus, Enicospilus, 467.
Ophion, 465, 467, 469.
Cometes, 331.
bicolor, 332.
emarginata, 331.
pulcherrimus, 333.
compacta, Cryptanura, 152.
comstocki, Pseudocoecus, 311, 317, 319.
 322, 327.
concolor, Atoponera, 466.
Enicospilus, 466, 472.
Ophiomorpha, 468, 472.
condensatus, Elymus, 315.
conica, Cryptanura, 143, 154, 175.
Conophthorus edulis, 371.
consimilis, Pityophthorus, 368.
conspicualis, Megaselia, 399.
convexus, Farsus, 87.
Coracophion, 432.
manganicolor, 432, 433.
cornigera, Cerocephala, 357-360.
cornuta, Diploneura, 404 (fig.), 407.
 416.
Phora, 407.
corradi, Oropertilatus, 205-208, 211.
corradoi, Oropertilatus, 208.
corsula, Mugil, 384.
Rhinomugil, 384.
Coryn adn., 126, 128.
micros, 130.
Corynula, 124.
corymbosa, Cassia, 110.
corynophora, Defundella, 106.
Corythosaurus, 195, 201, 202.
bieristatus, 203.
breviceristatus, 203.
casuarinus, 203.
excavatus, 203.
frontalis, 203.
intermedius, 203.
costale, Ophion, 454.
costalis, Genophion, 453, 454.
Ophion, 453, 454.
costaricensis, Gobiesox, 74, 76.
Cotylochthys, 63.
Cotylis, 48, 52, 53, 63.
limbiflata, 63.
unrmoratus, 70.
microspilus, 52, 64.
nigrinipennis, 48, 52, 65, 66, 68.
nigrinipennis nigrinipennis, 52, 65, 67,
 69.
nigrinipennis woodsi, 48, 52, 68, 69.
nuda, 63, 65, 66.
papillifer, 52, 63.
plumiger, 69.
poecilophtalmus, 72.
stimuli, 74.
coulteri, Pinus, 372.
cosata, Cryptanura, 144, 162-164, 173.
Crangon [Alpheus] californiensis, 278.
crassus, Neophilom, 437.
Cratomus, 363.
insularis, 364.
viridinotum, 364.

Cremnoctyptus, 176.
cingulatus, 176.
spiniferus, 176.
crenilabis, Chelon, 387, 391.
Mugil, 387.
Crenimugil, 380, 382, 387, 395.
Creadont, sabertooth, of Bridger Eocene,
 335.
cretaceus, Eupnogoderes, 519.
Crocodilus, 197.
americanus, 196, 199.
clavis, 195, 197.
Cryptanura, 139, 140, 142, 162, 173, 176.
albata, 175.
acinaces, 144, 165, 166, 175.
acolum, 140.
albispina, 140.
albomarginata, 173.
apophysis, 143, 157, 175.
areolaris, 173.
atripectus, 174.
basimacula, 173.
bicarinata, 142, 149, 175.
bilineata, 143, 160, 162, 176.
bipartita, 173.
boliviensis, 144, 163, 174.
championi, 175.
cinctipes, 140.
compacta, 152.
caerulea, 143, 154, 175.
cozata, 144, 162-164, 173.
curtispina, 140.
delecta, 140.
dicostata, 142, 146, 173.
ectypa, 147, 173, 175.
excitibur, 144, 164, 165, 174.
fasciatipennis, 140.
fusculventris, 171.
genalis, 144, 169, 174.
gracilipes, 144, 167, 174.
gracilis, 141, 168-170, 174.
hyalina, 175.
incantu, 140.
incerta, 145, 171, 172, 174.
isthmus, 144, 164, 174.
interrupta, 140.
inmentaria, 173, 175.
latilenrinata, 140.
lineatifemur, 144, 162, 175.
llopeurus, 173.
longipes, 173.
lueida, 173.
maculifrons, 145, 172, 174.
mediostrigosa, 143, 149, 175.
mexicana, 143, 158-160, 162, 173,
 176.
nigripes, 139, 174.
nitidiuscula, 175.
orizabensis, 143, 158-160, 162, 176.
ornatipennis, 140.
pachymene, 140.
paranensis, 144, 170, 171, 174.
pedienta, 140.
piceothorax, 143, 151, 152, 173.
planiscutellata, 143, 152, 175.
platyrurus, 174.

- Cryptanura politigaster*, 143, 152, 154, 173.
pretiosa, 144, 175.
propinqua, 144, 166, 173, 175.
quadrimaculata, 143, 147, 149, 175.
rufa, 143, 160, 173.
ruficeps, 143, 155, 156, 173.
rugosa, 174.
scutellaris, 145, 173.
septentrionalis, 143, 156, 175.
similis, 146, 173.
spilonota, 167, 175.
spinaria, 144, 161, 173, 175.
striata, 139, 174.
sumichrasti, 140.
tenuitcrebrata, 144, 171, 174.
tuberculata, 142, 145, 173.
uniformis, 174.
variegata, 144, 170, 171, 173-175.
verae pacis, 175.
volcanica, 173.
- Cryptocamptus*, 466, 472.
Cryptomya californica, 273, 277.
crystallinus, *Melaniris*, 191.
cubanus, *Arrhipis*, 88, 90.
cucullatus, *Ateles*, 43, 44.
culbertsoni, *Stylemys*, 301.
eultrata, *Testudo*, 310.
curtispina, *Cryptanura*, 140.
curvinervis, *Camptoneura*, 445.
Ophion, 466, 472.
curvivitta, *Pintalia*, 96, 99.
curvus, *Rhopalophion*, 438.
- Cushman, R. A., on ichneumon-flies of genus *Cryptanura*, 139.
 on ichneumon-flies of tribe *Ophionini*, 417.
- cyanus*, *Thyreodon*, 427.
Cyclopterus nudus, 63.
cylindricus, *Sipunculus*, 264.
Cymatoneura, 443, 466, 470-472.
Cynoscion, 124.
cyprinoides, *Nestis*, 384.
- dacdala*, *Pintalia*, 96, 99.
Dajaus, 384.
 monticola, 384.
Daphoenus, 339.
dariensis, *Ateles*, 29, 30.
 Davis, A. C., on weevils of tribe *Ophryastini*, 483.
debilis, *Abanchogastra*, 464.
decameron, *Ochetostoma*, 241.
decipiens, *Eupagoderes*, 485, 487, 492, 494, 504, 505 (fig.), 506-508.
Ophryastes, 505.
Defundella, 106, 107.
 corynophora, 106.
delawarensis, *Mesostenus*, 161.
delecta, *Cryptanura*, 140.
dendrorhynchus, *Anelassorrhynchus*, 222.
Dentalium, 233.
Deracanthus, 483.
Derbidae, 101.
desertus, *Eupagoderes*, 485, 486 (fig.), 492-496, 502.
- diadema*, *Fulgora*, 177, 182.
Phrictus, 180, 182-184.
- Diapodus*, 81.
Dicamptus, 466, 468, 469, 471.
 giganteus, 466.
dicostata, *Cryptanura*, 142, 146, 173.
Dictyonotus, 432, 433, 473, 474.
 melanarius, 433, 473, 474.
digueti, *Mugil*, 384.
dinoderi, *Cerocephala*, 360, 361.
Cerocephala (*Parasciatheras*), 360.
Dinoderus minutus, 361-363.
Diploneura, 407, 414.
 cornuta, 404 (fig.), 407, 416.
Dirhagus, 90.
 albofasciatus, 90.
 pectinatus, 91.
discrepans, *Pintalia*, 96.
Dispilus, 466, 469, 470.
Distenia, 329.
 lateralis, 329.
 limbata, 330.
 phaeocera, 331.
 spinipennis, 330.
Disteniini, 329.
divisus, *Schizospilus*, 466.
Dorosoma smithi, 185.
dorsalis, *Agonostomus*, 391.
dowsoni, *Tomistoma*, 201.
Dromaeolus, 82.
 moerens, 84.
 ornatulus, 83.
 panamensis, 83.
 pulcher, 82.
dubius, *Ophion*, 466.
duminius, *Eupagoderes decipiens*, 492, 504, 506.
- Ecoptogaster rugulosus*, 360.
ecoptogastri, *Cerocephala*, 360.
Pachyceras, 360.
- Echiurida*, 219.
Echiuridae, 220.
Echiuroidea, 219.
Echiuroinea, 220.
echiurus, *Echiurus*, 216, 225, 228, 229.
Lumbrieus, 225.
Echinurus, 220, 221, 225, 228, 229, 254, 263, 265, 278, 280.
chilensis, 263.
echiurus, 216, 225, 228, 229.
echiurus alaskanus, 219, 225, 228, 229.
pallasii, 225.
sitkaensis, 228, 229.
unicinctus, 263.
ectypa, *Cryptanura*, 147, 173, 175.
ecuadoriensis, *Pintalia*, 96.
cedar, *Ochetostoma*, 241, 244 (fig.), 245-247.
edulis, *Conophthorus*, 371.
 Pinnea, 264.
 Pinus, 371.
edwardsi, *Peripatus*, 210.
edwardsii, *Epiperipatus*, 205, 207, 210, 211.

- effracta, Rhigopsis, 547, 548 (fig.), 549
 eigenmanni, Gobiesox, 57.
 Rimicola, 49, 57.
 eisenii, Oropoperipatus, 205-207.
 Peripatus, 207.
 elegans, Choetosoma, 352-354, 359.
 Hellwigia, 479.
 Thalassema, 224.
 Ello, 388.
 Ellochelon, 391.
 elongatus, Mugil, 389.
 Myxus, 389, 390 (fig.).
 Elymus, 315, 316.
 condensatus, 315.
 virginicus, 316.
 emarginata, Cometes, 331.
 emersoni, Stigmatostrichus, 374.
 Enicospilus, 418, 421-423, 427, 433, 435,
 444-446, 460-475.
 americanus, 470.
 atoponeurus, 466.
 embustus, 467.
 ecocolor, 466, 472.
 flavoplagiatus, 435, 468.
 fullawayi, 473.
 glabratus, 466.
 grammospilus, 471.
 maculipennis, 464.
 medius, 469.
 merdarius, 467.
 mollis, 469.
 parvifemestratus, 472.
 reticulatus, 435.
 rubens, 469.
 rufoniger, 470.
 texanus, 470, 471.
 ensiformis, Canavalia, 109.
 Enteromorpha, 273.
 Eocene, Bridger, sabertooth creodont
 from, 335.
 eos, Arthrosa, 50, 58.
 Gobiesox, 58.
 cotheni, Matchroides, 335-346.
 Epimacrus, 357, 358.
 rufus, 358.
 Epiperipatus biolleyi, 205-207, 211.
 brasiliensis, 205-207, 209, 210.
 brasiliensis var. vagans, 206.
 edwardsi, 205, 207, 210, 211.
 simoni, 211.
 Epithetosoma, 217.
 equisetum, Megasella, 309.
 Eremotyloides, 466, 472, 473.
 orbitalis, 472.
 Eremotylus, 425, 444, 445, 456-466, 469,
 470, 472.
 nretina, 445, 466.
 macurus, 470.
 narginatus, 445.
 orbitalis, 466, 472.
 Eriodes frontatus, 37.
 Erymomylus felti, 455.
 erythrogrammon, Choetostoma, 240, 241.
 Thalassema, 234.
 Erythrophion, 477.
 ferrugineus, 477.
 erythrops, Gobiesox, 71, 72.
 Eubomellia, 250, 255, 257.
 valida, 255, 256.
 encasis, Fundella, 109-111.
 Encenemididae, new, from Central
 America and West Indies, 79.
 Enleptorhamphus, 186.
 Eupagoderes, 483, 484, 488, 490, 491, 492,
 493, 518, 519, 521, 523, 538.
 aeneus, 493, 494, 500 (fig.), 508, 519.
 argentatus, 491, 492, 509, 516 (fig.),
 517.
 aridus, 492, 493, 504, 508.
 californicus, 486 (fig.), 492, 494,
 496.
 cretaceus, 519.
 decipiens, 485, 487, 492, 494, 504,
 505 (fig.), 506-508.
 decipiens dumrianus, 492, 504, 506.
 desertus, 485, 486 (fig.), 492-496,
 502.
 geminatus, 493, 494, 496, 497 (fig.),
 499, 500, 502, 516, 519.
 giganteus, 494, 495.
 griseus, 493, 494, 498 (fig.).
 halli, 493, 519.
 hardyi, 493, 519.
 huachumae, 493, 519.
 lucanus, 492, 494, 517, 518 (fig.).
 marmoratus, 491-493, 509, 512
 (fig.), 517, 519.
 mexicanus, 519.
 mortivallis, 493, 494, 501, 502 (fig.),
 503, 519.
 mortivallis approximatus, 502.
 nivosus, 492, 509, 511-513.
 ocellatus, 492, 524.
 pilosus, 493, 504, 507.
 robustus, 492, 494, 503, 504 (fig.).
 setosus, 493, 519.
 simulans, 492, 493, 509, 514, 515
 (fig.).
 sordidus, 491-493, 509, 513, 514
 (fig.), 519.
 speciosus, 492, 494, 509, 510 (fig.),
 519.
 symmetricus, 518.
 utinensis, 493, 519.
 varius, 492, 493, 505, 507-509.
 varius plumbeus, 493, 505, 508.
 wickhami, 491, 492, 495.
 Enoplimeta, 374.
 catadensis, 374.
 euromotus, Mugil, 393.
 Euryceumopterum, 474, 475.
 flavipennis, 475.
 novaseotide, 475.
 Euryophtion, 423, 434.
 magnificus, 435.
 migripennis, 434.
 superbus, 435.
 eusoma, Nettobua, 257, 258, 259, 263.
 excalibur, Cryptamur, 144, 164, 165,
 174.
 excarinatus, Aulophion, 459.
 Simophion, 447.

- excavatus, *Corythosaurus*, 203.
exiguus, Nematodes, 92.
exilii, *Thalassema*, 240.
exornata, *Testudo*, 310.

facialis, *Retanisia*, 479.
falcata, *Pintalia*, 96, 98.
farcimen, *Urechis*, 264.
Farsus, 87.
 convexus, 87.
 oblitus, 88.
fasciata, *Arbaciosa*, 51, 60.
fasciatipennis, *Cryptanura*, 140.
fasciatus, *Gobiesox*, 60.
 Sicyases, 60.
 Tricoryphus, 375.
Felis, 335.
felti, *Erymotylus*, 455.
Fennah, R. G., on lanternflies from South America, 95.
fernaldi, *Thyreodon*, 429.
ferrugineus, *Erythrophion*, 477.
ficus, *Loganius*, 366.
fimbriata, *Cotylis*, 63.
finibricornis, *Thysanoes*, 368.
Fisher, Walter Kenrick, on echiuroid worms of North Pacific, 215.
Fisher, W. S., on beetles of family Eucnemididae, 79.
 on new cerambycid beetles of tribe *Disteniini*, 329.
Fishes, generic characters of *Hyporhamphus* and *Hemiramphus*, 185.
 new percoid from New Guinea, 115.
 revision of family *Gobiesocidae*, 47.
 revision of genera of mullets (*Mugilidae*), 377.
 sciaenid of genus *Ophioscion* from Central and South America, 123.
flammipennis, *Rhynchophion*, 431.
 Thyreodon, 431.
flavinervis, *Aglaphion*, 432, 434.
flavipennis, *Eurycampus*, 475.
flavomaculatus, *Ophiononeura*, 476.
flavoplagiatus, *Enicospilus*, 435, 468.
Flies, phorid, of Guam, 397.
formiciformis, *Cerocephala*, 356.
 Theocolax, 356, 357, 359.
formulosum, *Ochetostoma*, 241, 243.
Fornax, 84.
Fornax badius, 85.
 mendax, 86.
 obrutus, 86.
 poeyi, 84.
 valerio, 85.
fortis, *Amesospilus*, 469.
franciscana, *Pinnixa*, 277, 278.
frater, *Choetospila*, 354.
 Spalangiomorpha, 354.
fraxini, (*Hylesinus*) *Leperisinus*, 357.
 Leperisinus, 357.
frontalis, *Ateles*, 23.
 Ateles geoffroyi, 9, 37, 38.
 Corythosaurus, 203.
frontatus, *Brachyteles*, 37.
 Eriodes, 37.
Fulgora, 177.
 diadema, 177, 182.

fuliginosus, *Ateles*, 20.
fullawayi, *Enicospilus*, 473.
fulvicornis, *Agathophiona*, 443.
fulvus, *Gobiesox*, 48, 54, 76.
fumipennis, *Pycnophion*, 462.
Fundella, 105, 107.
 agapella, 106, 107, 111.
 ahemora, 106, 107, 113.
 argentina, 106, 107, 109, 111, 112.
 cistipennis, 108, 109.
 eucasis, 109-111.
 ignobilis, 106, 107, 112.
 pellucens, 105-107, 109-112.
funebris, *Gobiesox*, 54, 77.
furcata, *Pintalia*, 96.
fusciceps, *Ateles*, 27, 28.
 Ateles fusciceps, 7, 27-30.
fuscinensis, *Pintalia*, 96.
fuscoventris, *Cryptanura*, 174.
fuscomaculata, *Pintalia*, 96.
fuscomarginata, *Pintalia*, 96.

Gahan, A. B., on chalcidoid genera related to *Cerocephala*, 349.
 on new chalcid-flies of genus *Pseudaphycus*, 311.
gahani, *Pseudococcus*, 316.
galagensis, *Megaselia*, 406.
Gastrochaena, 233.
Gazin, C. Lewis, on *Machaeroides eothoen*, sabertooth creodont, 335.
geayi, *Macroperipatus*, 205, 206, 208.
 Peripatus, 208.
 Peripatus (Macroperipatus), 209.
geminatus, *Eupagoderes*, 493, 494, 496, 497 (fig.) 499, 500, 502, 516, 519.
genalis, *Cryptanura*, 144, 169, 174.
Genophion, 426, 436, 448, 454.
 costalis, 453, 454.
 gilletti, 453, 454.
geoffroyi, *Ateles*, 30.
 Ateles geoffroyi, 5, 6, 9, 29, 30-32, 37-41.
giganteus, *Dicamptus*, 466.
 Eupagoderes, 494, 495.
gigas, *Tipulophion*, 429.
Gila, 185, 191.
gilberti, *Testudo*, 295.
gilletti, *Genophion*, 453, 454.
gilli, *Hyporhamphus*, 192.
Gihnoe, Charles W., on mounted reptile fossil skeletons, 195.
 on osteology of *Testudo praextans*, 293.
glabratus, *Enicospilus*, 466.
globipennis, *Tosastes*, 537, 539, 544, 545.
globularis, *Tosastes*, 520, 539, 541, 542 (fig.).
Glodianus, 139.
 acolhua, 140.
Gobiesocidae, revision of, 47.
Gobiesox, 48, 54, 74, 75.
 adustus, 48, 54, 77.
 androsiensis, 73.
 barbatulus, 66.
 beryllinus, 49, 56.

- Gobiesox brevirostris**, 61.
carneus, 56.
cephalus, 48, 54, 73–75.
cerasinus, 72.
costaricensis, 74, 76.
eigenmanni, 57.
eos, 58.
erythrops, 71, 72.
fasciatus, 60.
fulvus, 48, 54, 76.
funebris, 54, 77.
gyrinus, 63, 65, 66.
haeres, 76.
humeralis, 58.
macrophthalmus, 72–74.
maeandricus, 70.
marmoratus, 70.
muscarum, 57.
nigripinnis, 63, 65, 66.
midus, 65, 76.
papillifer, 63.
paradisens, 72.
pinniger, 63, 69, 70.
poecilophthalmus, 72.
pinnetulatus, 54, 66, 76.
raumsdeni, 75.
reticulatus, 71.
rheodon, 57, 58.
rhodospilus, 59.
rubiginosus, 56, 73.
rupestris, 60.
sancti-martini, 66.
sanguineus, 61.
strumosus, 65, 66.
tudes, 73, 74.
virgatus, 66, 68.
vittatus, 66, 76.
yuma, 48, 66, 67.
zebra, 59, 60.
- Gobiomorus maculatus**, 191.
gogoshimense, Thalassema, 224.
goldiei, Aeschrichthys, 382.
Goldman, E. A. (See under Kellogg, R.)
Gonostomus, 382.
lon-lon, 382.
Gophernis, 297.
gossypil, Phenacocetus, 316, 322.
Gracilimugil, 392.
ramosyl, 392.
gracilipes, Cryptanura, 144, 167, 171.
gracilis, Cryptanura, 144, 168–170, 171.
gracilis, Pseudamorulon, 479.
graminolepis, Pseudaphycus, 312, 315, 324.
grammosplilus, Endesophilus, 471.
granaria, Siphiolus, 353.
grandidierii, Testudo, 298.
grandis, Promotura insularis, 365.
 The (Theraps) insularis, 365.
Thyreodon, 429.
granulata, Scleropla, 277.
Gravenhorstia, 478.
pleta, 478.
grennensis, Macropion, 429.
Thyreodon, 429.
- griffini**, Ochetostoma, 241.
griseoceans, Ateles, 43.
 Ateles geoffroyi, 10, 43.
griseus, Eupagoderes, 493, 494, 498, 499 (fig.).
Guani, phorid flies of, 397.
gyrus, Querimana, 388.
gyrus, Gobiesox, 63, 65, 66.
- haeres**, Gobiesox, 76.
Sicyases, 76.
halli, Eupagoderes, 493, 519.
hamiltoni, Mugil, 392, 393.
Hamina, 250, 255, 260, 280.
aretiae, 257.
ijimali, 260.
hardyi, Eupagoderes, 493, 519.
harengus, Myxus, 388.
hawaiiensis, Athyreodon, 464.
Pleuroneurophion, 466.
Heinrich, Carl, on genus Fundella, 105.
Heltwigia, 418, 439, 479.
elegans, 479.
Hellwigella, 439.
nigripennis, 439, 476.
similis, 439, 476.
Hemiramphus, 185–187, 189, 190.
Hemiramphus brasiliensis, 185–187, 189 (fig.).
Henicosipilus, 465–467, 470.
Hesperoneö, 273, 277, 278.
adventor, 228, 277, 278, 291, 292.
Heteroderes, 476.
Heteromugil, 381, 382, 394, 395.
Heteromyota, 220.
Heteropelma, 420.
hieroglyphica, Arbaicosa, 59.
hildebrandi, Hyporhamphus, 192.
hildebrandi, Sicyases, 51, 61, 63.
hirsutus, Chonocephalus, 404 (fig.), 408 (fig.), 409–411, 415.
hispidus, Ophryastes, 483.
hoffmanni, Phictetus, 181, 182.
houssi, Xenambassis, 115–119 (fig.), 121.
Hoplophonius, 342.
hornelli, Ochetostoma, 241.
huachuaene, Eupagoderes, 493, 519.
hulgrensis, Pintillia, 96.
humillaris, Arbaicosa, 59, 58.
Gobiesox, 58.
 Téostes, 539, 541.
humillaris, Sweltemia, 353.
hippferi, Ochetostoma, 241.
hyathia, Cryptanura, 175.
Hybognathus, 332, 434.
sumatranum, 432.
hybridus, Ateles, 25, 26, 31, 32.
hybridus, Ateles belzebuth, 4, 8, 21, 22, 25.
 (Hylobates) Leperinias fraxini, 357.
Hylotastella, 91.
schwarzi, 92.
Hylobates, 92.
Hymenopharsalia, 419, 420.
Hypocern, 414.

- Hyporhamphus, 185-189 (fig.), 190.
gilli, 192.
hildebrandi, 192.
patris, 185, 187, 190-192.
roberti, 192.
rosae, 186, 189-192.
snyderi, 192.
tricuspidatus, 186, 187.
unifasciatus, 185-187, 189 (fig.), 192.
- Hypseleotris, 378, 384.
- Ichneumon-flies, genus Cryptanura, 139.
revision of tribe Ophionini, 417.
Ichneumon luteus, 436.
ignobilis, Fundella, 106, 107, 112.
ijimai, Acanthohammingia, 257, 260, 262.
Hamingia, 260.
Ikeda, 280.
taenioides, 216.
Ikedosoma, 221, 280.
impensa, Testudo, 295.
inamoenus, Arhynchite, 248.
inanense, Anelassorhynchus, 222.
incauta, Cryptanura, 140.
incerta, Cryptanura, 145, 171, 172, 174.
incertus, Mesostenus, 171.
individuus, Orientospilus, 435.
infusatus, Australophion, 440.
Infrastridens, 48, 50, 57, 58.
rhessodon, 50, 58.
infuscata, Pintalia, 96.
inornata, Megaselia, 399.
inquinatus, Paniseus, 437.
insularis, Arrhipis, 89.
insularis, Cratomus, 364.
Proamotura, 364.
Theocolaxia, 364-367.
intermedius, Corythosaurus, 203.
interrupta, Cryptanura, 140.
ios, Clevelandia, 273 (fig.), 277, 279.
Iquitosa, 101, 102.
shannoni, 101.
isthmus, Cryptanura, 144, 164, 174.
- Joturus, 379, 382, 383, 395.
pichardi, 383.
stipes, 383.
- justus, Amesospilus, 469.
- kayi, Apataelurus, 336, 342.
Kellogg, Remington, and Goldman, E. A.,
on spider monkeys, 1.
kempi, Ochetostoma, 241.
kokotoniense, Ochetostoma, 241.
Kokujewiella, 478.
vicaria, 478.
- labeo, Mugil, 391.
Laesthia, 355.
Laesthia litigiosa, 357.
vespertina, 356.
lagena, Sipunculus, 264.
- lala, Chanda, 116.
laluvenensis, Megaselia, 406.
lamentaria, Cryptanura, 173, 175.
- lanieri, Arrhipis, 89.
lankesteri, "Thalassema," 280.
Laternflies, genus Phrietus, 177.
Larimus, 124.
tateralis, Distenia, 329.
lateralis, Pintalia, 95.
Laternaria, 177.
laticarinata, Cryptanura, 140.
laticeps, Neosciatheras, 372.
laticinctus, Thyreodon, 427.
laticunea, Testudo, 293, 298, 300, 301,
304, 306-310.
latinatus, Canophilus, 353.
latinotata, Pintalia, 96.
latipennis, Ophion, 474.
latirostris, Ophryastes, 521, 525, 526
(fig.).
Lepadogaster maeandricus, 70.
nudus, 63, 65.
reticulatus, 70.
Leperisinus, 360.
fraxini, 357.
lepturei, Temnillus, 80.
leptodermus, Ochetostoma, 241.
Leptophion, 466, 471.
longiventris, 466.
lessingi, Theocolaxia, 363, 364.
ligatus, Ophryastes, 529, 530.
ligonia, Testudo, 310.
ligulifer, Rhynchophion, 431.
Thyreodon, 431.
lilacinus, Pseudococcus, 317.
limatulus, Pseudaphycus, 313, 324, 327.
limbata, Distenia, 330.
Limnocyon, 337-344.
verus, 337-340, 345-347.
linearis, Sitophilus, 353.
lineatifemur, Cryptanura, 144, 162, 175.
lineatus, Caccophryastes, 488.
Lingula, 265.
liopleuris, Cryptanura, 173.
Liparus sulcirostris, 521, 529.
vittatus, 536.
Lissomyema, 219, 221, 224, 234, 241.
mellita, 219, 222, 223 (fig.).
Listriolobus, 219, 221, 222, 224, 233, 234,
280.
bahamensis, 233, 234.
billitonensis, 234.
pelodes, 216, 219, 232, 234, 235
(fig.), 237 (fig.), 279.
riukiensis, 234.
sorbillans, 234.
litigiosa, Laesthia, 357.
Theocolax, 357.
- Liza, 391.
- lon-lon, Gonostomyxus, 382.
Loganius fieus, 366.
longicornis, Plesiofornax, 87.
longidaetylus, Betaeus, 278.
longifolia, Arundinaria, 363.
longimembris, Ateles, 17.
longipes, Cryptanura, 173.
longipilis, Sapotes, 490.
longispinus, Pintalia, 96.
longispinus, Pseudococcus, 316.

- longiventris*, Leptophion, 406.
loysi, Amer-anthropoides, 25, 27.
lueanus, Eupagoderes, 492, 494, 517, 518
 (fig.).
lucida, Cryptanura, 173.
Lumbricus eichirrus, 225.
 — *thalassema*, 230.
Lumbrinereis, 273.
lumatus, Phaeolus, 109.
Interspersma, Ateson, 103.
Intens, Ichneumon, 436.
Lycetus, 363.
- Machneroides*, 342, 343.
 — *eothem*, 335-346.
Macoma secta, 240.
Macrodon, 124.
Macroperipatus, 208.
 — *geayi*, 205, 206, 208.
Macrophyton, 429.
 — *grenadensis*, 429.
 — *ornatus*, 429.
macrophthalmus, *Arcos*, 53, 72.
 — *Gobiesox*, 72-74.
macrurus, Eremotylus, 470.
maculatus, Gobiomorus, 191.
maculifrons, Cryptanura, 145, 172, 174.
maculipennis, Enicospilus, 464.
 — *Pintalia*, 96.
 — *Pseudaphyens*, 313, 316.
 — *Spilophion*, 462-464.
 — *Stenopodocotomus*, 464.
maculithorax, Ophiogastrella, 141.
macrandricus, Caudarctus, 71.
 — *Gobiesox*, 70.
 — *Lepidogaster*, 70.
 — *Sicyogaster*, 53, 70.
magniceps, Ophion abnormis, 456.
magnificus, Euryophion, 435.
malinus, Pseudaphyecus, 311, 313, 317,
 318.
Mallotus philippensis, 362.
mandibularis, Paralosthin, 368.
manganicolor, Corneophion, 432, 433.
manjuyodense, Gehetostoma, 241.
marginalis, Anomalon, 444.
 — *Atelles*, 7, 20, 23.
 — *Atelles belzouthi*, 4, 7, 11, 23.
 — *Eremotylus*, 415.
 — *Ophion*, 444, 445, 470.
marimonda, Atelles, 20.
maritima, Canavilia, 109.
maritimus, Pseudococcus, 316.
marmorata, Pintalia, 96, 97.
marmoratum, Ateson, 102, 103.
marmoratus, Corylis, 70.
 — *Eupagoderes*, 491-493, 509, 512
 (fig.), 517, 519.
 — *Gobiesox*, 70.
 — *Sicyogaster*, 53, 70.
Maxmilleria, 250, 280.
mediostrigosa, Cryptanura, 143, 149,
 175.
medius, Enicospilus, 469.
Megaphales, 74.

- Megaselia*, 398, 399, 410.
 — *arizonicensis*, 406.
 — *basisteta*, 406.
 — *biseta*, 402.
 — *conspicuallis*, 399.
 — *equiseta*, 399.
 — *gatingensis*, 406.
 — *inornata*, 399.
 — *laluyensis*, 406.
 — *monticola*, 406.
 — *pacifica*, 403.
 — *porobasiscta*, 399, 401 (fig.), 403,
 416.
 — *safunata*, 402.
 — *sauteri*, 402.
 — *scalaris*, 398, 400 (fig.), 402, 405, 416.
 — (*Mesoclinia*) *stiferum*, 398, 401
 (fig.), 403, 406, 416.
 — *stutzi*, 400 (fig.), 402, 416.
 — *subflava*, 402.
 — *suavis*, 399, 401 (fig.), 416.
 — *unisetosa*, 399.
melanarius, Dictyonotus, 433, 473, 474.
 — *Ophion*, 432, 473.
Melaniris crystallinus, 191.
melanocephalus, Ateles, 30.
melanochir, Atelles, 30, 32, 43.
melanostigma, Coiloneura, 462.
mellita, *Lissomyema*, 219, 222, 223 (dg.).
 — *Thalassema*, 219, 222, 224, 234.
mendax, Fornax, 86.
Menticefrus, 124.
meracus, Pseudaphyecus, 314, 325, 327.
merdarinus, Enicospilus, 467.
 — *Ophion*, 465, 467, 469.
meritorius, Pseudaphyecus, 312, 314, 325.
meseres, Poecobius, 218.
Mesostenidea (Polyaenus) spinaria, 161.
Mesostenus, 141, 173.
 — *albopictus*, 161.
 — *dehiwarensis*, 161.
 — *incertus*, 171.
 — *mexicanus*, 158, 159.
 — *platyrhyns*, 164.
 — *propinquus*, 166.
 — *spinarius*, 161.
 — *viriegatus*, 170.
 — *vernaepae*, 162, 173.
metallina, Promotura perpulchra, 366.
 — *Spalangia*, 353.
 — *Theocolaxia* perpulchra, 366.
metallennii, Ophion, 433.
Metophion, 466, 471, 472.
 — *bileolor*, 466.
mexicana, Cryptanura, 143, 158-160, 162,
 173, 176.
mexicanus, Eupagoderes, 519.
 — *Meotoma*, 158, 159.
michaelseni, Archibonellin, 250.
Micropogon, 124.
microplus, Corylus, 130.
 — *Ophionelon*, 126, 127, 130, 133.
 — *Stellifer*, 126.
microrhynchus, Anelos orrhynchus, 222.
microplus, Cotylis, 52, 61.

- Miller, Robert R., on Hyporhamphus
and Hemiramphus, 185.
minuta, Arbaciosa, 60.
minutacanthis, Phrictus, 180, 181.
minutus, Dinoderus, 361, 362, 363.
mirsa, Apatophion, 439.
misakiensis, Bonellia, 255.
mitsukurii, Protobonellia, 255.
miyajimai, Bonellia, 249.
mjöbergi, Archibonellia, 250.
moeasyri, Barycephalus, 473.
Barytatocephalus, 473.
moebii, Anelassorrhynchus, 222.
Thalassema, 230.
moebiusi, Phrictus, 181, 182.
moerens, Dromaeolus, 84.
Mollenisia sphenops, 191.
mollis, Eucispilus, 469.
molluscorora, *Parafannia*, 408, 414, 415.
molokalensis, Pycnophion, 461.
Monkeys, spider, review of, 1.
monticola, Agonostomus, 191.
Dajus, 384.
Megaselia, 406.
Mugil, 384.
mordax, Sinopa, 336.
mortivallis, Eupagoderes, 493, 494, 501,
502 (fig.), 503, 519.
Moths, American pyralidoid of family
Phycitidae, 105.
mucosa, Anelassorrhynchus, 222.
Mugil, 377, 378, 380, 382, 388, 395.
 breviceps, 392.
 canaliculatus, 391.
 capito, 391.
 cephalus, 388 (fig.).
 cetosus, 388.
 chelo, 387, 391.
 corsula, 384.
 crenilabis, 387.
 digneti, 384.
 elongatus, 389.
 euronotus, 393.
 hamiltoni, 392, 393.
 labeo, 391.
 monticola, 384.
 nasutus, 384.
 petardi, 392.
 proboscidens, 385.
 ramsayi, 392.
 thoburni, 386.
 tricuspidens, 394.
 vaigiensis, 391.
Mugilidae, 377.
Mullets, revision genera of, 377.
multidens, Trachystoma, 392.
multistriatus, Scolytus, 359.
mundus, Pseudaphycus, 313, 321, 323,
324.
muscarum, Gobiesox, 57.
Rimicola, 57.
Myxus, 381, 389, 395.
Myliobatus californicus, 279.
 elongatus, 389, 390 (fig.).
harengus, 388.
(*Neomyxus*) sclateri, 386.
naso, Ophioscion, 126, 127.
 Stelliferus, 126, 136.
nasutus, Mugil, 384.
natalensis, Ophion (Disphilus), 466.
nebrascensis, Stylemys, 301, 310.
Negambassis, 117.
neglectus, Ateles, 32, 34.
Nellobia, 250, 256–258, 260.
 eusoma, 257, 258, 260, 263.
Nematodes, 92.
 atropos, 93.
 exiguus, 92.
Neodiapodus, 80.
 buscki, 81.
Neomammillaria, 549.
neomexicanus, Trionymus, 315.
Neomugil, 384.
Neomyxus, 380, 382, 386, 395.
Neophion, 436, 437.
 erassus, 437.
Neosciatheras, 350, 352, 363, 372, 373.
 laticeps, 372.
neptuni, Thalassema, 221, 230.
Nestis, 384.
 cyprinoides, 384.
Netelia, 437.
New Guinea, new percoid fishes from,
115.
nigra, Banchogastra, 460.
nigrinus, Plesiofornax, 86.
nigripennis, Euryophion, 434.
 Hellwigiella, 439, 476.
nigripes, Cryptanura, 139, 174.
nigripinnis, Cotylis, 48, 52, 65, 66, 68.
 Cotylis nigripinnis, 52, 65, 67, 69.
 Gobiesox, 63, 65, 66.
nigriventris, Puliciphora, 405 (fig.), 412,
415, 416.
nigrivittatus, Cebus, 2.
nipae, Pseudococcus, 311, 315.
Nipponophion, 456.
 variegatus, 456, 457.
nitidiuscula, Cryptanura, 175.
nivosus, Eupagoderes, 492, 509, 511–513.
notatus, Phrictus, 178, 179, 182.
Nototrachys, 476.
novae-zelandiae, Urechis, 264.
novascotiae, Eurycampus, 475.
nuda, Cotylis, 63, 65, 66.
nudus, Cyclopterus, 63.
 Gobiesox, 65, 76.
 Lepadogaster, 63, 65.
nuttalli, Schizothaerus, 240.
obliquiritta, Pintalia, 96, 98.
oblitus, Farsus, 88.
obrutes, Fornax, 86.
obseurata, Pintalia, 96.
obtorta, Pintalia, 96.
occidentalis, Cassia, 109.
ocellatus, Eupagoderes, 492, 524.
 Ophryastes, 521, 524, 525.
 Phrictus, 179–181.
Ochetostoma, 221, 222, 224, 233, 240, 247,
254, 280.
arkati, 222, 241.

Ochetostoma barenii, 241, 247.
bombayensis, 241.
candix, 241.
decameron, 241.
etax, 241, 244 (fig.), 245-247.
erythrogrammon, 240, 241.
formosum, 241, 243.
griffini, 241.
hornelli, 241.
lumpferi, 241.
kempi, 241.
kokotonense, 241.
leptodermon, 241.
manjuyodense, 241.
octomyotum, 219, 241, 243, 245, 246, 286, 287.
pelleidum, 241.
stuhlmanni, 241.
octomyotum, *Ochetostoma*, 219, 241, 243, 245, 246, 286, 287.
odontandroplax, *Rhynchophion*, 430, 431.
Odontopsis, 478.
Odynerus, 360.
Oedalechilus, 391.
Oleter, 427, 429.
selenactis, 427.
 Oligocene of Wyoming, fossil turtles from, 293.
 Onychophores, Panama and Canal Zone, 205.
Ophiogastrella, 422, 425, 436, 441.
maculithorax, 441.
Ophionomorpha, 466, 472.
concolor, 468, 472.
Ophion, 417, 418, 421, 422, 423, 425, 436-447, 450, 453, 456, 460, 461, 466-469, 474-476.
abnormis, 455.
abnormis magniceps, 456.
abnormum, 455.
areolaris, 475.
bilobovalvatus, 437.
bombycivorus, 444, 456, 457, 469.
cameronii, 466.
chilensis, 440.
coloradensis, 437.
combustus, 465, 467, 469.
costale, 454.
costalis, 453, 454.
curvifervis, 466, 472.
dubius, 466.
latipennis, 474.
marginalis, 444, 445, 470.
melanarius, 432, 473.
merdaris, 465, 467, 469.
metallicum, 433.
natalensis, 466.
(Disphilus) natalensis, 466.
peregrinus, 440.
ramidulus, 465.
repentimus, 469.
slossonne, 437.
subfullzinosus, 450-452.
(Enicospilus) trimaculatus, 466.

Ophion undulatus, 444, 445, 465, 466, 469-471.
unicallosus, 466.
Ophionellus, 419, 420.
Ophioneura, 476.
Ophioniul, 419, 422, 423.
Ophiononeura, 476, 477.
flavomaculatus, 476.
Ophlopterus, 419, 420, 478.
coarctatus, 478.
Ophioscion, 123-125, 130, 133, 136.
adusta, 133.
industus, 123, 126-128, 133, 134, 136.
brasiliensis, 126-129 (fig.), 130.
microps, 126, 127, 130, 133.
naso, 126, 127.
panamensis, 126, 127, 130, 134, 135 (fig.), 136.
punctatissimus, 126, 127, 133.
typicus, 123-125 (fig.).
venezuelae, 126, 127, 131, 132 (fig.), 133.
woodwardi, 128.
Ophyastes, 488, 490, 491, 518, 521, 525, 537, 538.
argentatus, 516.
basalis, 533.
bituberous, 533, 535.
collaris, 522, 532, 533.
decipiens, 505.
hispidus, 483.
latirostris, 521, 525, 526 (fig.).
ligatus, 529, 530.
ocellatus, 521, 524, 525.
ovipennis, 522, 535 (fig.), 536.
porosus, 522, 531, 532 (fig.).
shufeldti, 521, 524, 525.
sordidus, 513.
speciosus, 490, 509.
sulcipennis, 522, 528, 529 (fig.).
sulcirostris, 522, 529, 530 (fig.), 531.
sulcirostris porosus, 531.
symmetricus, 491, 522, 527, 528 (fig.).
tetralobus, 532.
tuberous, 522, 533, 534 (fig.).
validus, 525.
varius, 507.
vittatus, 491, 522, 536, 537 (fig.).
wickhami, 524, 522, 523 (fig.), 524, 525, 527.
orbitalis, *Eremitylodes*, 472.
Eremitylus, 466, 472.
Oreodon, 207, 310.
Orlina II. *Pseudaphyens*, 313, 317.
Stanropodotomus, 404.
Orientospilus, 424, 435.
Individual, 435.
Orizabus I. *Cryptarium*, 143, 148-164, 162, 176.
Polynemus, 159.
ornata, *Pintalia*, 98.
ornata, *mf*. *Cryptatura*, 140.
ornatus, *Dromaeolus*, 82.

- ornatus, *Ateles*, 39, 40.
Ateles geoffroyi, 9, 31, 39-41.
Macrophion, 429.
- Oroperipatus*, 207.
corradi, 205-208, 211.
corradoi, 208.
eisenii, 205-207.
- orthopygia*, *Testudo*, 295.
orycinus, *Sciatherellus*, 373.
oryza, *Sitophilus*, 353.
oryzae, *Calandra*, 361.
osborniana, *Testudo*, 295, 296.
ovalis, *Tosastes*, 520, 538, 539, 543, 544
 (fig.), 545.
- ovipennis*, *Ophryastes*, 522, 535 (fig.), 536.
- Pachyceeras eccoptogastri*, 360.
pachymene, *Cryptanura*, 140.
Photocryptus, 140.
pacifica, *Megaselia*, 403.
palense, *Thalassema*, 241.
pallasii, *Echirurus*, 225.
pan, *Ateles*, 36, 37.
pan, *Ateles geoffroyi*, 10, 33, 36.
Panama, *onychophores* of, 205.
panamensis, *Ateles geoffroyi*, 3-6, 9, 37-40, 44.
Dromaeolus, 83.
Ophioscion, 126, 127, 130, 134, 135
 (fig.), 136.
- panicea*, *Sitodrepa*, 353.
panicus, *Ateles panicus*, 3-5, 7, 11, 16-19, 21, 24, 25, 27-29.
Sapajou, 3, 11.
Sapajus, 2.
Simia, 2, 3, 11, 15-19.
- Paniscus*, 436, 437.
cephalotes, 436.
inquinatus, 437.
- papillifer*, *Caulistius*, 63.
Cotylis, 52, 63.
Gobiesox, 63.
- parabasiseta*, *Megaselia*, 399, 401 (fig.), 403, 416.
- Parabonellia*, 250, 255, 257, 280.
- paradiseus*, *Gobiesox*, 72.
- paradola*, *Acantholamingia*, 260.
- Parafannia*, 413.
molluscivora, 408, 414, 415.
- Paralaesthia*, 350, 352, 368, 369.
mandibularis, 368.
- paranensis*, *Cryptanura*, 144, 170, 171, 174.
- Parasciathera*, 358.
- Paraspalangia*, 374.
annulipes, 374.
- parvifrenestratus*, *Enicospilus*, 472.
- Patriofelis*, 343.
- patris*, *Hydrohamphus*, 185, 187, 190-192.
- pauciradiatus*, *Plagioscion*, 128.
- peetinus*, *Dirhagus*, 91.
- pedieata*, *Cryptanura*, 140.
- Pegoscapus*, 374.
- pellucens*, *Fundella*, 105-107, 109-112.
pellucidum, *Ochetostoma*, 241.
- pelodes*, *Listriolobus*, 216, 219, 232, 234, 235 (fig.), 237 (fig.), 279.
- pentadactylus*, *Ateles*, 11.
- peragrans*, *Testudo*, 295.
- peregrinus*, *Ophion*, 440.
- Peripatus*, 209.
bolleyi, 211.
 (Epiperipatus) *bolleyi* var. *betheli*, 209.
 (Epiperipatus) *brasiliensis* var. *vagans*, 210.
edwardsi, 210.
eisenii, 207.
geayi, 208.
 (Macroperipatus) *geayi*, 209.
ruber, 205, 206, 209.
 (Peripatus) *ruber*, 209.
- perpulchra*, *Proamotura*, 365.
Theocolaxia, 365, 366.
- pertinax*, *Anobium*, 359.
- peruvianus*, *Ateles ater*, 17.
- petardi*, *Mugil*, 392.
- Trachystoma*, 393 (fig.), 394.
- petersii*, *Arbaciosa*, 59, 60.
- Sicyases*, 59.
- phaeocera*, *Distenia*, 331.
- Pharsalia*, 419.
- Phaseolus*, 109.
lunatus, 109.
- Phenacoccus*, 325.
gossypii, 316, 322.
- philippinensis*, *Mallotus*, 362.
- Phloeotribus*, 360.
- Phora cornuta*, 407.
scalaris, 406.
- Phoronopsis viridis*, 273.
- Photocryptus*, 139.
pachymene, 140.
- Phrictus*, 177.
armata, 182.
auromaculatus, 178, 179.
diadema, 180, 182-184.
hoffmannsi, 181, 182.
minutacanthis, 180, 181.
moebiusi, 181, 182.
notatus, 178, 179, 182.
ocellatus, 179-181.
punctatus, 181.
quinquepartitus, 183, 184.
regalis, 183.
sordidus, 180.
tripartitus, 183, 184.
xanthopterus, 178.
- Phycitidae*, review of genus *Fundella*, 105.
- picothorax*, *Cryptanura*, 143, 151, 152, 173.
- pichardi*, *Joturus*, 383.
- picta*, *Gravenhorstia*, 478.
- pilosus*, *Eupogoderes*, 493, 504, 507.
- pinniger*, *Bryssetaeres*, 69.
Cotylis, 69.
Gobiesox, 63, 69, 70.
Sicyases, 52.
- Pinnixa*, 277, 278.
franciscana, 277, 278.

- Pintalia, 95.
albolineata, 96.
albomarginata, 96.
altamazonica, 96.
angustinotata, 96.
bifundata, 96.
lairmontensis, 96.
brunnivosa, 96.
currivitta, 96, 99.
daedala, 96, 99.
discrepans, 96.
cunatensis, 96.
falcata, 96, 98.
furcata, 96.
fuscipennis, 96.
fuscomaculata, 96.
fuseomarginata, 96.
lumigrensis, 96.
infuscata, 96.
lateralis, 95.
latinotata, 96.
longispinis, 96.
maculipennis, 96.
marmorata, 96, 97.
obliquiritta, 96, 98.
obscurata, 96.
obtorta, 96.
ornata, 96.
propria, 96.
pulchella, 96.
quadrinotata, 96.
quadrivispinosa, 96.
tumatumariensis, 96.
vomerifera, 96, 100.
- Pinuca*, 264.
edulis, 264.
- Pinus coulteri*, 372.
edulis, 371.
ponderosa, 372.
- pityophthori*, Cerocephala, 368.
Theocolaxia, 368.
- Pityophthorus consimilis*, 368.
- Plagiocephalon*, 124, 128.
paniceiradiatus, 128.
- planicentellata*, Cryptanura, 143, 152, 175.
- Platophion*, 475, 476.
platyurus, Cryptanura, 174.
Mesostenus, 161.
- Plesioformax*, 86.
longicornis, 87.
nigrinus, 86.
- Pleuroneurophion*, 466, 470.
hawaiiensis, 466.
- plicatilis*, Costrnens, 382.
- plumbens*, Empagoderes varius, 493, 505, 708.
- Podogaster*, 419, 479.
- poecilophthalmos*, Tomocodon, 72.
- poecilophthalmus*, Arcos, 53, 72.
Cotyllis, 72.
Gohereox, 72.
- Poecilus*, 218, 280.
meseres, 218.
- ponyi*, Tachys, 218.
- politigaster*, Cryptanura, 143, 152, 154, 173.
- Polymenidia*, 141.
pretiosa, 166.
- Polyaenus*, 139, 140, 141, 176.
claviger, 140, 176.
orizabensis, 159.
spinarius, 161.
spliferus, 140, 176.
striatus, 140.
- Polyaenus spinarius*, 161.
- Polydennis*, 173.
- ponderosa*, Pinus, 372.
- porosus*, Ophryastes, 522, 531, 532 (fig.).
- Potophion*, 425, 442.
eaudatus, 442.
- praeextans*, Testudo, 293, 294 (fig.), 295 (fig.), 296 (fig.), 297 (fig.), 298 (fig.), 299-303 (fig.), 304 (fig.)-306, 308.
- pretiosa*, Cryptanura, 144, 175.
Polymenidia, 166.
- primus*, Trachyopterus, 477.
- Priopidichthys*, 117.
- Proamotura*, 358, 363.
aquila, 358, 361, 363.
insularis, 364.
insularis grandis, 365.
perpulchra, 365.
perpulchra metallica, 366.
viridinotum, 364.
- problema*, Ateles, 21.
- proboscideus*, Chaenomugil, 385.
Mugil, 385.
- Prolinnoeyon*, 336.
- propinqua*, Cryptanura, 144, 166, 173, 175.
- propinquus*, Mesostenus, 166.
- propria*, Pintalia, 96.
- prosopidus*, Psedaphycus, 312, 315.
- Protobonellia*, 250, 255, 257, 280.
mitsukurii, 255.
- Pseudomonalon*, 479.
gracilis, 479.
- Pseudaphycus*, 311, 312, 316, 321, 323.
abstrusus, 313, 316, 317, 327.
atreolatfrons, 314, 317, 326, 327.
angelleus, 313, 316, 317, 321, 327.
angustifrons, 313, 319.
austriacus, 313, 317.
grandineola, 312, 315, 324.
limatus, 313, 324, 327.
maculipennis, 313, 316.
matinus, 311, 313, 317, 318.
meracus, 314, 325, 327.
meritorius, 312, 314, 325.
nebulosus, 315, 321, 323, 324.
orientalis, 313, 317.
propinquus, 312, 315.
utilis, 311, 312, 315.
wedderburni, 312, 316.
- Pseudontubas*, 1, 116.
- Pseudobonellia*, 240, 250, 255, 280.
- Pseudorecolius terryl*, 321, 322.
- Pseudorecolius indeciduum*, 316, 322.
borbonicus, 322, 323.

- Pseudococcus brevipes, 320.
calceolariae, 322.
citrophilus, 316.
comstocki, 311, 317, 319, 322, 327.
gahani, 316.
lilacinus, 317.
longispinus, 316.
maritimus, 316.
nipae, 311, 315.
ryani, 316.
virgatus, 315, 326.
- Psylonychia*, 476.
- Pteromalidae*, 350.
- Pterospilus*, 466, 470.
puggettensis, *Upogebia*, 272, 278.
pulchella, *Pintalia*, 96.
pulcher, *Dromaeolus*, 82.
pulcherrimus, *Cometes*, 333.
Puliciphora, 398, 411, 414, 415.
nigriventris, 405 (fig.), 412, 415, 416.
tokoensis, 413.
wymani, 405 (fig.), 411, 413, 415, 416.
- punctatissimus*, *Ophioscion*, 126, 127, 133.
- punctatus*, *Phrictus*, 181.
- puncticollis*, *Sapotes*, 488, 489 (fig.), 490, 520.
- punctulatus*, *Gobiesox*, 54, 66, 76.
Sicyases, 76.
- purpurascens*, *Aglaophion*, 433, 473, 474.
Thyreodon, 432, 433.
- Pycnophion*, 423, 426, 461.
fumipennis, 462.
molokaiensis, 461.
- pyrrhocinela*, *Arbaciosa pyrrhocinela*, 50, 59.
- pyrrhocinclus*, *Arbaciosa*, 59.
Sicyases, 59.
- quadrata*, *Testudo*, 309, 310.
quadratus, *Testudo*, 309.
quadrimaculata, *Cryptanura*, 143, 147, 149, 175.
Pintalia, 96.
- quadrimaculatus*, *Callosobruchus*, 353.
- quadrispinosa*, *Pintalia*, 96.
- Querimana*, 388.
gyrans, 388.
- quinquepartitus*, *Phrictus*, 183, 184.
- ramidulus*, *Ophion*, 469.
rainsayi, *Gracilimugil*, 392.
Mugil, 392.
- remsdeni*, *Gobiesox*, 75.
- rapax*, *Sinopa*, 337.
- rastrifer*, *Stellifer*, 124, 125 (fig.).
regalis, *Phrictus*, 183.
- repentinus*, *Ophion*, 469.
- Reptiles, fossil, description of skeletons, 195.
- Retania*, 479.
facialis, 479.
- reticulatus*, *Caularchus*, 70.
Enicospilus, 435.
Gobiesox, 71.
Lepadogaster, 70.
- rhessodon*, *Arbaciosa*, 58.
Gobiesox, 57, 58.
Infratridens, 50, 58.
- Rhigopsis*, 485, 488, 547.
effracta, 547, 548 (fig.), 549.
scutellata, 547.
simplex, 549.
- Rhinomugil*, 379, 382, 384, 395.
corsula, 384.
- rhodospila*, *Arbaciosa*, 51, 59.
- Rhodospilus*, *Gobiesox*, 59.
- Rhopalophion*, 425, 438.
curvus, 438.
- Rhynchophion*, 424, 430, 431.
flammipennis, 431.
ligulifer, 431.
odontandroplax, 430, 431.
- Rimicola*, 48, 56, 57.
beryllinus, 56.
eigenmanni, 49, 57.
muscarum, 57.
- riukiensis*, *Listriolobus*, 234.
- roberti*, *Hyporhamphus*, 192.
- robustus*, *Ateles*, 29.
Ateles fusciceps, 5, 7, 18, 19, 25-29, 31.
- robustus*, *Eupagoderes*, 492, 494, 503, 504 (fig.).
rosae, *Hyporhamphus*, 186, 189-192.
- rubens*, *Enicospilus*, 469.
- ruber*, *Peripatus*, 205, 206, 209.
Peripatus (Peripatus), 209.
- rubiginosus*, *Acyrtus*, 48, 56.
Gobiesox, 56, 73.
Sicyases, 56.
- rufa*, *Cryptanura*, 143, 160, 173.
ruficeps, *Cryptanura*, 143, 155, 156, 173.
- rufiventris*, *Ateles*, 45.
- rufoniger*, (*Eremotylus*) *Enicospilus*, 470.
- rufus*, *Epimacrus*, 358.
- rugosa*, *Cryptanura*, 174.
- rungulosus*, *Ecoptogaster*, 360.
- rupestris*, *Arbaciosa*, 60.
Gobiesox, 60.
- Sicyases*, 60.
- rupens*, *Amesospilus*, 469.
- ryani*, *Pseudococcus*, 316.
- Sabertooth creodont (*Machaeroides cothen*), 335.
- sabinum*, *Anellassorhynchus*, 222.
- sacchari*, *Trionymus*, 322, 323.
- Saccosoma*, 220, 280.
vitreum, 220.
- Sactosomatida*, 220.
- safunae*, *Megaselia*, 402.
- sancti-martini*, *Gobiesox*, 66.
- sanguineus*, *Gobiesox*, 61.
Sicyases, 51, 60-63.
- Sapajou*, 3.
paniscus, 3, 11.

Sapajus, 2.
 capucinus, 2.
 paniscus, 2.
 variegatus, 3.
Sapotes, 487, 488.
 longipilis, 490.
 puncticollis, 488, 489 (fig.), 490, 520.
saunteri, Megasella, 402.
Saxicava, 233.
Saylana, 102.
scalaris, Megaselia, 398, 400 (fig.), 402, 406, 416.
 Phora, 406.
Schizospilus, 466, 469, 473.
 divisus, 466.
Schizothaerus nuttalli, 240.
Schultz, Leonard P., on American cling-fishes, 47.
 on fishes of family Mugulidae, 377.
 on new percoid fishes from New Guinea, 115.
 on sebastid fishes of genus Ophiodoscion, 123.
schwarzi, *Hylotastella*, 92.
Sciæna adusta, 126, 128.
Sciatheras, 357, 358.
 trichotus, 358, 359.
Selatherellus, 350, 352, 373.
 orycinus, 373.
sceleri, *Myxus* (*Neomyxus*), 386.
Scleropax, 273, 277, 278.
 granulata, 277.
scolytivora, Cerocephala, 366.
 Theocolaxia, 366-368.
Scolytus, 39.
 multistriatus, 359.
scutellaris, Cryptanura, 145, 173.
scutellata, Rhigopsis, 547.
secta, Macoma, 240.
selemaetion, Oleter, 427.
semiluteum, Ateson, 102.
simoni, Amelassorhynchus, 222.
septentrionalis, Cryptanura, 143, 156, 175.
setiferum, Megasella (Megasella), 398, 401 (fig.), 403, 406, 416.
setosus, Eupagoderes, 493, 519.
shannoni, *Iquitos*, 101.
shipleyi, Acanthohamngia, 257, 260.
shufeldti, Ophryastes, 521, 524, 525.
Slenmugil, 392.
Slyneses, 48, 51, 60.
 carneus, 56.
 chilensis, 61.
 fuscatus, 60.
 haeres, 76.
 hildebrandi, 51, 61, 63.
 petersii, 59.
 piniger, 52.
 punctulatus, 76.
 pyrrhocnchus, 59.
 rubiginosus, 56.
 rupestrus, 60.
 sanguineus, 51, 60-63.
 yunnanica, 73.

Sicyogaster, 48, 53, 70.
 macandrieus, 53, 70.
 marmoratus, 53, 70.
Simla antigmanni, 3.
 belzebul, 15.
 capucina, 2.
 capucinus, 2.
 chainek, 17.
 paniscus, 2, 3, 11, 15-19.
 variegatus, 3, 20.
similis, Cryptanura, 146, 173.
Hellwigella, 439, 476.
simoni, Epiperipatus, 211.
simoni, *Xenambassis*, 117, 118, 120, 121.
Simophion, 425, 446.
 excavatus, 447.
simplex, Rhigopsis, 549.
simulans, Eupagoderes, 492, 493, 509, 514, 515 (fig.).
Sinopa, 336.
 mordax, 336.
 rapax, 337.
Sipunculus cylindricus, 264.
 lagena, 264.
sitkaensis, Echiurus, 228, 229.
Thalassema (Echiurus), 229.
Sitodrepa panicea, 353.
Sitophilus granaria, 353.
 linearis, 353.
 oryza, 353.
Sitotroga cerealella, 353.
slossonae, Ophion, 437.
Smilodon, 344.
smithi, Dorosoma, 185.
snyderi, Hyporhamphus, 192.
sominiger, Barycephalus, 473.
sorbillans, Listriobius, 234.
sordidus, Eupagoderes, 491, 492, 493, 509, 513, 514 (fig.), 519.
 Ophryastes, 513.
sordidus, Phrletus, 180.
Spalangia, 349, 350, 358.
 metallica, 353.
Spalungiolaelaps, 375.
Spalangiomorpha, 352, 358.
 frater, 354.
Spalangiopelta, 375.
speciosus, Eupagoderes, 492, 494, 509, 510 (fig.), 519.
 Ophryastes, 490, 509.
sphenops, Mollemista, 191.
spilonota, Cryptanura, 167, 175.
Sphlophilon, 422, 423, 427, 456, 462, 463.
 maculipennis, 462-464.
sphingia, Cryptanura, 144, 161, 173, 175.
Mesosteniidae (Polycentridae), 161.
spinarius, Mesostenus, 161.
 Polydenus, 161.
 Polyurus, 161.
spiniferus, *Cremnoacryptus*, 176.
 Polycentrus, 140, 176.
spiniferus, *Dipteron*, 330.
spinosa, Sternopygus, 218.
Spiroctetor, 263.
Squalionugil, 384.
stannili, Cotylli, 74.

- S**tauropoctonus, 423, 426, 456, 458, 468, 474, 475.
bombycivorus, 474.
chezanii, 457.
variegatus, 457.
Stauropodotonus, 462, 464.
maculipennis, 464.
orientalis, 464.
steinbecki, Thalassema, 230, 231 (fig.).
Stellifer, 124, 125.
microps, 125.
rastrifer, 121, 125 (fig.).
Stelliferus naso, 126, 136.
Stenophthalmus, 476.
algiricus, 476.
Sternaspis, 218.
spinosa, 218.
Stictophion, 477.
Stigmatotristichus, 374.
emersoni, 374.
Stipa, 315.
stipes, Joturus, 383.
Xenorhynchichthys, 383.
striata, Cryptanura, 139, 174.
striatum, Anobium, 356.
stritatus, Polyaenus, 140.
strumosus, Gobiesox, 65, 66.
stühmanni, Ochetostoma, 241.
stunzii, Megaselia, 400 (fig.), 402, 416.
Sylemys, 297.
culbertsoni, 301.
nebrascensis, 301, 310.
subtilava, Megaselia, 402.
subfuliginea, *Clistorapha*, 451, 452.
subfuliginosus, Ophion, 450–452.
subglaber, Chonocephalus, 398, 404 (fig.), 408 (fig.), 410, 415.
subpentadactylus, Atelles, 11.
suis, Megaselia, 399, 401 (fig.), 416.
sulcipennis, Ophryastes, 522, 528, 529 (fig.).
sulcirostris, Liparus, 521, 529.
Ophryastes, 522, 529, 530 (fig.), 531.
sulcirostris-porus, Ophryastes, 531.
sumatranum, Aglaophion, 434.
Hybopleurax, 432.
sumichrasti, Cryptanura, 140.
Trapezonalis, 140.
superbus, Euryophion, 435.
surinamensis, Cebus paniscus, 11.
Sweitenia humilis, 353.
symmetricus, Eupagoderes, 518.
Ophryastes, 491, 522, 527, 528 (fig.).
Synechopterus, 116.
caudovittatus, 117, 118.
tabida, Choetospila, 354.
taenioides, Ikeda, 216.
Thalassema, 220.
telfairii, Agonostoma, 385.
Agonostomus, 384.
Tenuillus, 79.
aspericollis, 79.
lepriuri, 80.
tenueiceps, *Trophophion*, 448, 449.
tenuiterebrata, Cryptanura, 144, 171, 174.
terryi, Aphyceus, 322–324.
Pseudococcobius, 321, 322.
Testudinidae, 293.
Testudo, 293, 295, 297, 298, 300, 301, 305–310.
amphithorax, 310.
brontops, 310.
cultrata, 310.
exornata, 310.
gilberti, 295.
grandidieri, 298.
impensa, 295.
laticunea, 293, 298, 300, 301, 304, 306, 307, 308, 309, 310.
ligonia, 310.
orthopygia, 295.
osborniana, 295, 296.
peragrans, 295.
praeextans, 293, 294 (fig.), 295 (fig.), 296 (fig.), 297 (fig.), 298 (fig.), 299–303 (fig.), 304 (fig.), 305–308.
quadrata, 309, 310.
quadratus, 309.
thomsoni, 295–297, 306, 310.
Tetracentrum, 116, 117.
apogonoides, 117, 118.
Tetralobus, Ophryastes, 532.
Texanus, Enicospilus, 470, 471.
Thalassena, Lumbricus, 230.
Thalassema, 221, 222, 233.
Thalassema, 220–222, 224, 230, 232–234, 240, 247, 249, 253–255, 260, 271, 280.
arhynchite, 247.
elegans, 224.
erythrogrammon, 234.
exili, 240.
gogoshimense, 224.
lankesteri, 280.
mellita, 219, 222, 224, 234.
moeblii, 230.
neptuni, 221, 230.
palense, 241.
(Echiurus) sitkaensis, 229.
steinbecki, 230, 231 (fig.).
taenioides, 220.
thalassema, 221, 222, 233.
Theocolax, 350, 355, 356, 357, 374.
bakeri, 357.
canadensis, 374.
formiciformis, 356, 357, 359.
litigiosa, 357.
Theocolaxia, 350, 352, 358, 363.
insularis, 364–367.
insularis grandis, 365.
lessingi, 363, 364.
perpulchra, 365, 366.
perpulchra metallica, 366.
pityophthori, 368.
scolytivora, 366–368.
viridinotum, 364.
Therion, 420, 423.
Therionini, 420.

- Thlnoeyon**, 337, 339-345.
 velox, 337, 339.
thoburni, Mugil, 386.
thomsoni, Testudo, 295-297, 306, 310.
thoracicus, Athyreodon, 429.
Thylacosmilus atrax, 338.
Thyreodon, 421-424, 427, 429, 430, 432,
 433, 435, 438, 470, 471, 474.
 atricolor, 429.
 cyanurus, 427.
 fernaldi, 429.
 flammipennis, 431.
 grandis, 429.
 granadensis, 429.
 latifasciatus, 427.
 ligulifer, 431.
 purpurascens, 432, 433.
Thysanoes fimbriornis, 368.
Tipulophion, 429.
 gigas, 429.
Titanotherium, 307, 310.
tokyoensis, Puliciphora, 413.
Tomicodon chilensis, 61.
 poecilophthalmos, 72.
Tomistoma dowsoni, 201.
Tosastes, 483, 488, 525, 537, 538, 545.
 cinerascens, 539, 541, 545, 546 (fig.).
 coaretatus, 488, 528-540, 543.
 globipennis, 537, 539, 544, 545.
 globularis, 520, 539, 541, 542 (fig.).
 humeralis, 539, 541.
 ovalis, 520, 538, 539, 543, 544 (fig.),
 545.
Trachypterus, 477.
 primus, 477.
Trachystoma, 381, 392, 395.
 multidens, 392.
 petardi, 393 (fig.), 394.
transandeanus, Awnous, 191.
 Chonophorus, 191.
Trapezonnalis, 139.
 sunlehrasti, 140.
trichotus, Sciaheras, 358, 359.
tricolor, Atelos, 33, 34.
Tricoryphus, 375.
 fasciatus, 375.
trienspidatus, Hyporhamphus, 186, 187.
trienspidens, Mugil, 394.
trimaculatus, Ophion (Enicosplitus),
 466.
Trionymus neomexicanus, 315.
 sacchari, 322, 323.
 utahensis, 315.
tripartitus, Phrictus, 183, 184.
Trispilus, 406, 469, 470.
Tritemnodon, 342.
Trophopion, 425, 447, 448.
 tenuiceps, 448, 449.
truncata, Arbaclosa, 59.
 Arbaclosa pyrrhocnema 50, 59.
Tsuga, 227.
tuberulata, Cryptanura, 142, 145, 173.
tuberosus, Ophryastes, 522, 533, 534
 (fig.).
tides, Goblesox, 73, 74.
tumatumariensis, Pintalla, 96.
Turtles, fossil (Testudo), 293.
 typicus, Ophioscelon, 123-125 (fig.).
Umbrina, 124.
undulatus, Ophion, 444, 445, 465, 466,
 469-471.
unguiculata, Vigna, 109.
unifasciatus, Ophion, 466.
unicinctus, Echthrus, 263.
Urechis, 216, 264, 270, 291.
unifasciatus, Hyporhamphus, 185-187,
 189 (fig.), 192.
uniformis, Cryptanura, 174.
unisetosa, Megasselina, 399.
Upogebia, pugettensis, 272, 278.
Urechidae, 262.
Urechis, 215, 216, 263-265, 272-280.
 capo, 216, 217, 219, 228, 264-266
 (fig.), 267 (fig.), 270, 271, 273
 (fig.), 280.
 chilensis, 219, 264, 267, 270, 271.
 farcimen, 264.
 novae-zelandiae, 261.
 unicinctus, 216, 264, 270, 291.
utahensis, Eupagoderes, 493, 519.
Trionymus, 315.
utilis, Pseudaphycus, 311, 312, 315.
vaganus, Epiperipatus brasiliensis var.,
 206.
 Peripatus (Epiperipatus) brasili-
 ensis var., 210.
vaigiensis, Mugil, 391.
raterio, Fornax, 85.
rotida, Eubonellia, 255, 256.
validus, Ophryastes, 525.
variabilis, Amydrognathus, 520, 521 (fig.).
variegata, Cryptanura, 144, 170, 171,
 173-175.
variegatus, Atelos, 3, 20, 23.
 Mesosteinus, 170.
 Nipponophion, 456, 457.
 Supajus, 3.
 Stinfa, 3, 20.
 Stauropoctonus, 457.
varius, Eupagoderes, 492, 493, 505, 507,
 508, 509.
 Ophryastes, 507.
Vatnirea, 353.
vegrande, Anellassorhynchus, 222.
Velamassis, 116.
vellerosus, Atelos, 45.
 Atelos geoffroyi, 4-6, 10, 32, 35-38.
 velox, Thlnoeyon, 337, 339.
venezuelae, Ophioscelon, 126, 127, 131,
 132 (fig.), 133.
verneptius, Cryptanura, 175.
 Meostenus, 162, 173.
verbosum, Ancistrus, 419, 420.
verus, Lhnnoeyon, 337, 340, 345-347.
verpertius, Leptilia, 336.
vilaria, Kokujewella, 478.
Vigna, unguiculata, 109.
virgatulus, Gobiesox, 66, 68.
virginis, Psendoechis, 315, 326.
virginica, Elymus, 316.

- viridinotum, *Cratomus*, 364.
 Proamotura, 364.
 Theocolaxla, 364.
viridis, *Bonellia*, 250, 251 (fig.), 253,
 254, 257.
 Phoronopsis, 273.
vitreum, *Saccosoma*, 220.
vittatus, *Gobiesox*, 66, 76.
 Liparus, 536.
 Ophryastes, 491, 522, 536, 537 (fig.).
volcanica, *Cryptanura*, 173.
vomerifera, *Pintalia*, 96, 100.
websteri, *Pseudaphycus*, 312, 316.
Weevils, review of tribe *Ophryastini* of
 America, 483.
wickhami, *Eupagoderes*, 491, 492, 495.
 Ophryastes, 521-523 (fig.), 524, 525,
 527.
woodsi, *Cotylis nigripinnis*, 48, 52, 68, 69.
woodwardi, *Ophioscion*, 128.
Worms, echiuroid, of North Pacific, 215.
wymani, *Puliciphora*, 405 (fig.), 411,
 413, 415, 416.
xanthopterus, *Phrictus*, 178.
Xenambassis, 115-117.
 honessi, 115-119 (fig.), 121.
 simoni, 117, 118, 120, 121.
Xenomugil, 380, 382, 386, 387, 395.
Xenopnusta, 220, 262.
Xenorhynchichthys, 383.
 stipes, 383.
yucatanensis, *Ateles geoffroyi*, 3, 5, 10,
 33, 35.
yuma, *Gobiesox*, 48, 66, 67.
yumurina, *Sicyases*, 73.
zebra, *Arbaciosa*, 60.
 Gobiesox, 59, 60.
Zetek, James. (See under Clark, A. H.)
Zostera, 216, 273.



SMITHSONIAN INSTITUTION LIBRARIES



3 9088 01420 9787

